

UNIVERSITY OF NEVADA, RENO

**Title for the (hopefully somewhat) related chapters of your
graduate thesis/dissertation**

A thesis submitted in partial fulfillment of the
requirements for the degree of Master of Science in
Mathematics

by

You D. Student

Dr. Pat D. Advisor, Ph.D. / Thesis Advisor

May August or December, 20XX

Copyright by You D. Student 20XX

All Rights Reserved.



THE GRADUATE SCHOOL

We recommend that the thesis
prepared under our supervision by

YOU D. STUDENT

entitled

**Title for the (hopefully somewhat) related chapters of your
graduate thesis/dissertation**

be accepted in partial fulfillment of the
requirements for the degree of

MASTER OF SCIENCE

Pat D. Advisor, Ph.D.
Advisor

Jane Doe, Ph.D.
Committee Member

John Doe, Ph.D.
Committee Member

Sam Doe, Ph.D.
Graduate School Representative

Markus Kemmelmeier, Ph.D., Dean
Graduate School

May August or December, 20XX

Abstract

Enter your abstract here. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend

consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Dedication

I would like to dedicate this work to...

Acknowledgments

I would like to acknowledge...

Table of Contents

Abstract	i
Dedication	iii
Acknowledgments	iv
Table of Contents	v
List of Tables	vii
List of Figures	viii
1 Introduction	1
1.1 Morphism objects and operadic centers	3
1.2 Linear Chain Trickery	3
References	5
2 The First Project	6
2.1 Introduction	6
2.1.1 In the beginning...	6
2.2 Results	6
2.2.1 Tables	9

2.3	Custom Alternate Text For Math Expressions!	15
2.3.1	What about other non-math symbols?	16
2.3.2	Screen-Reader Friendly Math Expressions	17
	Appendices	19
2.A	Model Derivation	19
2.B	Simulation Details	19
3	The Second Project	20
3.1	Introduction	20
3.2	Results	20
4	The Third Project	21
4.1	Introduction	21
4.2	Results	21
	Appendices	22
A	Equations	22
B	Simulation Details	23
B.1	Parameter Values	23
B.2	Computer Code	23

List of Tables

2.1	A short table demonstrating a standard \LaTeX table. Compare the \LaTeX source for this table and Table 2.2.	9
2.2	A BETTER short table demonstrating a non-standard \LaTeX table created using a <code>center</code> environment and <code>\captionof{}</code> from the <code>caption</code> package.	10
2.3	This table is manually split across multiple pages since it won't fit onto a single page. See the \LaTeX source for details, and compare to the table above.	12

List of Figures

1.1	The “N” logo for the University of Nevada-Reno. Source: https://www.unr.edu/Assets/Icons/logos/university-logo.svg (converted to PDF from SVG) but see also https://www.unr.edu/marketing-communications/brand/visual-identity	1
1.2	The “N” logo for the University of Nevada-Reno. Source: https://www.unr.edu/Assets/Icons/logos/university-logo.svg (converted to PDF from SVG) but see also https://www.unr.edu/marketing-communications/brand/visual-identity	2

Chapter 1

Introduction

Here is a brief, broad introduction to the topics addressed by the thesis chapters below.

There might be an equation, like

$$\frac{dx}{dt} = f(x), \quad \text{for } x \in \mathbb{R}^n$$

or even a figure, like Figure 1.1.



Figure 1.1: The “N” logo for the University of Nevada-Reno. Source: <https://www.unr.edu/Assets/Icons/logos/university-logo.svg> (converted to PDF from SVG) but see also <https://www.unr.edu/marketing-communications/brand/visual-identity>.

The figure above (Figure 1.1) may not be read by the screen reader because it is a float, which may therefore have its read order pushed to the very end of the document. This is not ideal! One can mimic the figure environment as shown by this next figure (see the \LaTeX source for details) in a way that it is read in line with the source text.



Figure 1.2: The “N” logo for the University of Nevada-Reno. Source: <https://www.unr.edu/Assets/Icons/logos/university-logo.svg> (converted to PDF from SVG) but see also <https://www.unr.edu/marketing-communications/brand/visual-identity>.

1.1 Morphism objects and operadic centers

Here is an example `tikzcd` diagram from Farr (2025), which needed to be removed from the main \LaTeX source file and compiled on it's own, then included using the usual image insertion routine `\includegraphics[alt={alt text}]{figfilename}`.

Given a morphism $e : Y \rightarrow X$ in $h\mathcal{C}_a$, the induced map between the fibers comes from solving the lifting problem

$$\begin{array}{ccc} \{1\} \times \text{Map}_{\mathcal{C}_m}(X \otimes M, N) & \hookrightarrow & \mathcal{C}_a \times_{\mathcal{C}_m} \mathcal{C}_{m/N} \\ \downarrow & \nearrow \text{dashed} & \downarrow f \\ \Delta^1 \times \text{Map}_{\mathcal{C}_m}(X \otimes M, N) & & \mathcal{C}_a \\ & \searrow & \nearrow e \\ & \Delta^1 & \end{array} ,$$

and restricting the lift to $\{0\} \times \text{Map}_{\mathcal{C}_m}(X \otimes M, N)$. Since f is a pullback of the right fibration $\mathcal{C}_{m/N} \rightarrow \mathcal{C}_m$, the lift above is induced by the solution to ...

1.2 Linear Chain Trickery

Here is an example theorem from Hurtado and Kirosingh (2019). We'll show the following theorem in more detail below.

Theorem A (Simple LCT (Theorem 2.1)). *Consider a continuous time state transition model with inflow rate $J(t) \geq 0$ into state X which has an Erlang(r, k) distributed dwell time. Let $x(t)$ be the (mean field) amount in state X at time t and assume $x(0) = x_0$. The mean field integral equation for this scenario is*

$$x(t) = x_0 S_r^k(t) + \int_0^t J(s) S_r^k(t-s) ds. \quad (1.1)$$

State X can be partitioned into k sub-states X_i , $i = 1, \dots, k$, where particles in X_i are those awaiting the i^{th} event as the next event under a homogeneous Poisson process with rate r . Let $x_i(t)$ be the amount in X_i at time t , and $x(t) = \sum_{j=1}^k x_j(t)$. Eq. (1.1) is equivalent to the mean field ODEs

$$\frac{d}{dt}x_1(t) = \mathcal{J}(t) - r x_1(t) \quad (1.2a)$$

$$\frac{d}{dt}x_j(t) = r x_{j-1}(t) - r x_j(t), \quad j = 2, \dots, k \quad (1.2b)$$

with initial conditions $x_1(0) = x_0$, $x_j(0) = 0$ for $j \geq 2$.

The rest of this thesis is organized as follows:

1. First, ...
2. Second, ...
3. Finally, ...

References

- Farr, Sonja (2025). \mathbb{E}_2 -algebra structures on the derived center of an algebraic scheme. DOI: 10.48550/ARXIV.2506.14069.
- Hurtado, Paul J. and Adam S. Kirosingh (Aug. 2019). “Generalizations of the ‘Linear Chain Trick’: incorporating more flexible dwell time distributions into mean field ODE models”. In: *Journal of Mathematical Biology* 79.5, pp. 1831–1883. ISSN: 1432-1416. DOI: 10.1007/s00285-019-01412-w.

Chapter 2

The First Project

Once upon a time...

2.1 Introduction

2.1.1 In the beginning...

... there was some content.

2.2 Results

Here is the more detailed version of Theorem A.

The Erlang density function (g), CDF (G), and survival function ($S = 1 - G$; also called the *complementary CDF*) are given by Equation 2.1.¹

¹A useful interpretation of survival functions, which is used below, is that they give the expected proportion remaining after a give amount time.

$$g_r^k(t) = r \frac{(rt)^{k-1}}{(k-1)!} e^{-rt} \quad (2.1a)$$

$$G_r^k(t) = 1 - \sum_{j=1}^k \frac{(rt)^{j-1}}{(j-1)!} e^{-rt} = 1 - \sum_{j=1}^k \frac{1}{r} g_r^j(t) \quad (2.1b)$$

$$S_r^k(t) = 1 - G_r^k(t) = \sum_{j=1}^k \frac{1}{r} g_r^j(t). \quad (2.1c)$$

Theorem 2.1 (Simple LCT). *Consider a continuous time state transition model with inflow rate $\mathcal{I}(t) \geq 0$ (an integrable function of t) into state X which has an Erlang(r, k) distributed dwell time (with survival function S_r^k from eq. (2.1c)). Let $x(t)$ be the (mean field) amount in state X at time t and assume $x(0) = x_0$.*

The mean field integral equation for this scenario is

$$x(t) = x_0 S_r^k(t) + \int_0^t \mathcal{I}(s) S_r^k(t-s) ds. \quad (2.2)$$

State X can be partitioned into k sub-states X_i , $i = 1, \dots, k$, where particles in X_i are those awaiting the i^{th} event as the next event under a homogeneous Poisson process with rate r . Let $x_i(t)$ be the amount in X_i at time t , and $x(t) = \sum_{j=1}^k x_j(t)$. Eq. (2.2) is equivalent to the mean field ODEs

$$\frac{d}{dt} x_1(t) = \mathcal{I}(t) - r x_1(t) \quad (2.3a)$$

$$\frac{d}{dt} x_j(t) = r x_{j-1}(t) - r x_j(t), \quad j = 2, \dots, k \quad (2.3b)$$

with initial conditions $x_1(0) = x_0$, $x_j(0) = 0$ for $j \geq 2$, and

$$x_j(t) = x_0 \frac{1}{r} g_r^j(t) + \int_0^t \mathcal{J}(s) \frac{1}{r} g_r^j(t-s) ds. \quad (2.4)$$

Proof. Substituting eq. (2.1c) into eq. (2.2) and then substituting eq. (2.4) yields

$$\begin{aligned} x(t) &= x_0 S_r^k(t) + \int_0^t \mathcal{J}(s) S_r^k(t-s) ds \\ &= x_0 \sum_{j=1}^k \frac{1}{r} g_r^j(t) + \int_0^t \mathcal{J}(s) \sum_{j=1}^k \frac{1}{r} g_r^j(t-s) ds \\ &= \sum_{j=1}^k \left(x_0 \frac{1}{r} g_r^j(t) + \int_0^t \mathcal{J}(s) \frac{1}{r} g_r^j(t-s) ds \right) = \sum_{j=1}^k x_j(t). \end{aligned} \quad (2.5)$$

Differentiating equations (2.4) (for $j = 1, \dots, k$) yields equations (2.3) as follows.

For $j = 1$, equation (2.4) reduces to

$$x_1(t) = x_0 e^{-rt} + \int_0^t \mathcal{J}(s) e^{-r(t-s)} ds. \quad (2.6)$$

Differentiating $x_1(t)$ using the Leibniz integral rule and substituting (2.6) yields

$$\frac{d}{dt} x_1(t) = -rx_0 e^{-rt} - r \int_0^t \mathcal{J}(s) e^{-r(t-s)} ds + \mathcal{J}(t) = \mathcal{J}(t) - rx_1(t). \quad (2.7)$$

Similarly, for $j \geq 2$, Lemma ?? (not shown) yields

$$\begin{aligned}
\frac{d}{dt}x_j(t) &= x_0 \frac{1}{r} \frac{d}{dt}g_r^j(t) + \int_0^t \mathcal{J}(s) \frac{d}{dt} \left(\frac{1}{r} g_r^j(t-s) \right) ds \\
&= x_0 \left(g_r^{j-1}(t) - g_r^j(t) \right) + \int_0^t \mathcal{J}(s) \left(g_r^{j-1}(t-s) - g_r^j(t-s) \right) ds \\
&= r \left(\frac{x_0}{r} g_r^{j-1}(t) + \int_0^t \mathcal{J}(s) \frac{1}{r} g_r^{j-1}(t-s) ds \right) - r \left(\frac{x_0}{r} g_r^j(t) \right. \\
&\quad \left. + \int_0^t \mathcal{J}(s) \frac{1}{r} g_r^j(t-s) ds \right) = r x_{j-1}(t) - r x_j(t).
\end{aligned} \tag{2.8}$$

■

2.2.1 Tables

Here’s a simple table, Table 2.1, however, it won’t be read aloud by a screen reader until the very end of the document unless the author manually changes the read order (via Adobe Acrobat). Float objects, like tables and figures, are not read in the order they appear on the page. Additionally, links to a standard table (or figure) may not be verbalized well, again, because of the way floats are tagged. For example, the link at the start of this paragraph is read aloud by a screen reader as “link, go to destination table, caption fourteen” rather than ”link, go to, link destination Table 2.2” which is how the link to alternative table below is read: Table 2.2. Using `\autoref` gives links that read slightly better than those from `\ref`, but either will suffice.)

Table 2.1: A short table demonstrating a standard L^AT_EX table. Compare the L^AT_EX source for this table and Table 2.2.

Letter	Number
<i>A</i>	1
<i>B</i>	two
<i>C</i>	3

Recommendation for fixing these float issues: instead of using `table` and `figure` envi-

ronments, use a center environment and then replace `\caption{}` with `\captionof{}{}` from the `caption` package, as in this next example (Table 2.2).

Note: There isn’t a perfect solution, as these alternative tables and figures may cause some warnings like “Destination ‘table2.2’ has no related structure.” However, at least in my testing, the links in both the List of Tables page and in the text (like Table 2.2) all work and take you to the table when clicked. **My recommendation:** use the suggested alternative until the LaTeX developers fix the conflicts between the tagging code, `hyperref`, and the figure and table environments.

Table 2.2: A BETTER short table demonstrating a non-standard `LATEX` table created using a `center` environment and `\captionof{}` from the `caption` package.

Letter	Number
<i>A</i>	1
<i>B</i>	two
<i>C</i>	3

I’ve intentionally left this table split across two pages to highlight another shortcoming of this alternative: you’ll need to manually position the table or figure and/or make further modifications to minimize splitting it across a page break. To fix this particular example, you’ll need to add `\nopagebreak` to the start and maybe end of the caption text, and maybe also after the label or elsewhere between different objects in that center environment. Alternatively, adding a `\newline` above the center environment could work too.

Next, here’s a table that is only used for text formatting and is tagged differently from tables above (see the `LATEX` source for details). It should be read by a screen reader as plain text.

Name: John Doe
Degree: B.S.
Date: May 2025

The `longtable` package allows tables to be split across multiple pages. This gives some TH and TD errors and possibly other tagging errors when ran through the accessibility checker, can be read incorrectly by screen reader software. It's best to NOT use `longtable` and instead split the table up manually as was done for Table 2.3).

Table 2.3: This table is manually split across multiple pages since it won't fit onto a single page. See the L^AT_EX source for details, and compare to the table above.

[illegible]

Continue on next page...

Table 2.3: Continued...

A	B	C	D	E
blah	blah	blah	blah	blah
blah	blah	blah	blah	blah
blah	blah	blah	blah	blah
blah	blah	blah	blah	blah
blah	blah	blah	blah	blah
blah	blah	blah	blah	blah
blah	blah	blah	blah	blah

Here are a few more equations. Using the `align` environment we have eqs. (2.9).²

$$\dot{x} = \frac{dx}{dt} = f_x(x, y) \quad (2.9)$$

$$\dot{y} = \frac{dy}{dt} = f_y(x, y). \quad (2.10)$$

The above, but in a `subequations` environment:

$$\dot{x} = \frac{dx}{dt} = f_x(x, y) \quad (2.11a)$$

$$\dot{y} = \frac{dy}{dt} = f_y(x, y). \quad (2.11b)$$

Here is an aligned environment in an equation environment:

$$\begin{aligned} \frac{dx}{dt} &= D_t x \\ &= f_x(x, y). \end{aligned} \quad (2.12)$$

Now using a regular equation environment:

$$\dot{x} = \frac{dx}{dt} = F_x(x, y)$$

$$\dot{y} = \frac{dy}{dt} = F_y(x, y).$$

Some bold math (note how these are read by a screen reader like NVDA, then see the next section).

$$\mathbf{A} = \begin{bmatrix} A & 0 \\ 0 & 1 \end{bmatrix}_{2 \times 2}$$

²The abbreviation “eqs.” is also probably not very screen reader friendly, so it is preferred to use `\autoref*{label}` instead, which will give “Equation 2.9” or maybe find a way to make a macro that looks like `\Eqs` and reads as “equations”.

2.3 Custom Alternate Text For Math Expressions!

Note: This following functionality was introduced in the January 2026 release of LuaLaTeX, and should be used with the mathml-SE tagging setup only. Expect that this syntax will probably change as the L^AT_EX Tagging Project matures!

For context, the `unicode-math` package allows L^AT_EX to tag symbols like α with the corresponding unicode character rather than the L^AT_EX macro, which ensures that such symbols can be read properly by screen reader software.

There are some mathematical symbols, however, that either do not have unicode character analogs or that we would prefer to manually assign some context specific alternate text that differs from the standard MathML semantics. For example, the double-struck “1” symbol, $\mathbb{1}$, is often used as an indicator function but the default MathML reading of the symbol leads screen readers to read it as “double-struck one.”

In the L^AT_EX source file for this document I have added two macros, above the `\documentclass{}` line, that define a new symbol and a new math function that can be used as one would use, say, `\pi` and `\sqrt{...}`:

```
\newcommand{\indAfn}{% Reads as "indicator function subscript A"
  \MathMLintent{indicator-function-subscript-A}%
  {\mathbb{1}_A}}%
}
% Below is read as "indicator function subscript A of [arg]"
\newcommand{\indAfnof}[1]{
  \MathMLintent{indicator-function-subscript-A($x)}%
  {\mathbb{1}_A!\left(\MathMLarg{x}{\#1}\right)}%
}
```

A screen reader (tested here using Adobe Acrobat + NVDA) will read the phrase “ $\mathbb{1}_A$ is 0 or 1, where $\mathbb{1}_A(\omega)$ is 1 if $\omega \in A$ and 0 otherwise” as “indicator function subscript A is 0 or 1, where indicator function subscript A of omega is 1 of omega is an element of A and zero otherwise.”

square root of, hammer-wrench of alpha and omega, close paren” by a screen reader, e.g., using Adobe with NVDA.

2.3.2 Screen-Reader Friendly Math Expressions

The LaTeX tagging routines that convert equations to MathML don’t fully grasp all of the contextual nuances that we use to read math. This leads screen readers to read some expressions incorrectly. For example,

$$f'(f'(x))$$

will get read by NVDA as something like “ f prime times f prime of x ” and this is a common problem with functional expressions where the function or the argument isn’t just a single character! The solution is just like in the section above: you can make a new command using `\MathMLintent{}{}` to make proper functions so that expressions are read correctly.

For example, see the \LaTeX source for this section, and also compare how a screen reader like NVDA reads the following expression based on standard \LaTeX math notation

$$(f^{-1})'(y) = \frac{1}{f'(f^{-1}(y))}$$

compared to the alternative

$$(f^{-1})'(y) = \frac{1}{f'(f^{-1}(y))}$$

which uses the following function definitions in the header of this document:

```
\newcommand{\finvprime}[1]{%
  \MathMLintent{f-inverse-prime($x)}{%
    {\{(f^{-1})'\}\!\!\left(\MathMLarg{x}{\{#1\}}\right)\}}%
  }% \finvprime{y} is read by a screen reader as "f inverse prime of y"
```

```

\newcommand{\finv}[1]{%
  \MathMLintent{f-inverse($x)}%
  {{f^{-1}}\!\left(\MathMLarg{x}{{#1}}\right)}}%
}% \finv{y} will be read by a screen reader as "f inverse of y"

```

```

\newcommand{\fprime}[1]{%
  \MathMLintent{f-prime($x)}%
  {{f'\!\left(\MathMLarg{x}{{#1}}\right)}}%
}% \fprime{\sin x} is read as "f prime of sin of x"

```

Note: The second argument to `\MathMLintent{ }{ }` must include an extra pair of curly braces if the argument includes more than one math symbol!!

Appendix 2.A Model Derivation

Some example appendices at the end of the chapter instead of at the end of the thesis.

We just nondimensionalized the equation $\dot{N} = r N (1 - N/K)$ to get $\dot{x} = x(1 - x)$.

Appendix 2.B Simulation Details

We used Euler's method with step sizes of 10^{-4} and initial condition $x(0) = 0.1$.

Chapter 3

The Second Project

Some more content...

3.1 Introduction

Stuff

3.2 Results

QED.

Chapter 4

The Third Project

Some more content...

4.1 Introduction

Stuff

4.2 Results

QED.

Appendices

Example appendices at the end of the thesis instead of individual chapters.

A Equations

Here is the identity matrix,

$$I = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix} \tag{A.1}$$

B Simulation Details

B.1 Parameter Values

We used the values in the code below.

B.2 Computer Code

Here's some R code. Unfortunately, packages like `listings` are not yet compatible with the new \LaTeX tagging functionality, so you may have to wait a while before you can submit nicely formatted code with syntax highlighting. Until then, we can use a trusty old `verbatim` environment.

R code: Example Script

```
# THIS IS A LOVELY LITTLE BIT OF R CODE:
# -----
# install.packages("openssl") # install this first, then run the code below
par(bg = "black", fg = "black")
x=seq(-sqrt(3),sqrt(3),length=800)
for(k in seq(0,100,length=40)) {
  plot(x,(x^2)^(1/3)+0.9*sin(k*x)*sqrt(3-x^2), type="l",lty=1, col="red",
    xlim=c(-2,2), ylim=c(-1.25,2.25), lwd=2)
  text(0,1,
    rawToChar(openssl::base64_decode("SGFwcHkgVmFsZW50aW5lJ3MgRGF5IQ==")),
    col="white", cex=3.25)
  Sys.sleep(1)
} # End of Example Script
```

Ideally, code should be an electronic supplement to your thesis. Code opened in a screen reader friendly code editor will be much more accessible than code in a PDF.